SECTION 1. IDENTIFICATI	ON	
Product identifier used on the	label	
:	E645, Part 1	
Other means of identification :	None assigned.	
Recommended use of the chem	nical and restrictions on use	
:	Resin component Recommended restrictions: Nor	ne known.
Chemical family :	Mixture	
Name, address, and telepho of the supplier:	one number	Name, address, and telephone number of the manufacturer:
Beacon Adhesives		Refer to supplier
125 Macquesten Parkway South Mount Vernon, NY, USA 10550		
Supplier's Telephone # :	(914) 699 3400	
24 Hr. Emergency Tel # :	Chemtrec 1-800-424-9300 (With U.S.).	nin Continental U.S.); Chemtrec 703-527-3887 (Outside
SECTION 2. HAZARDS IDE	NTIFICATION	

Classification of the chemical

Clear colourless liquid. Slight ethereal odour

Most important hazards :Flammable liquid Harmful if swallowed, in contact with skin or if inhaled. May damage fertility or the unborn child.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification :

Flammable Liquids - Category 3 Acute toxicity, oral - Category 4 Acute toxicity, inhalation - Category 4 Acute Toxicity, dermal - Category 4 Reproductive Toxicity - Category 1B

Label elements

Hazard pictogram(s)



DANGER!

Hazard statement(s)

Flammable liquid and vapour. Harmful if swallowed, in contact with skin or if inhaled. May damage fertility or the unborn child.

Precautionary statement(s)

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash hands thoroughly after handling. Avoid breathing mist or vapours. Do not eat, drink or smoke when using this product. Wear protective gloves/clothing and eye/face protection.

IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/physician if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification: : Burning produces obnoxious and toxic fumes.Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	<u>CAS #</u>	Concentration (% by weight)
Glycol ethers	Proprietary	Proprietary	Proprietary

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Booonphon of mot and mout		
Ingestion	: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms persist. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.	
Inhalation	: If inhaled: Remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a POISON CENTER or doctor/physician.	
Skin contact	 Immediately flush with plenty of water, while removing contaminated clothing.Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. 	
Eye contact	: For eye contact, flush with running water for at least 15 minutes. If eye irritation persists: get medical advice/attention.	
Most important symptoms and effects, both acute and delayed		
	: May be harmful if inhaled. Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful in contact with skin. May damage fertility or the unborn child if inhaled.	
Indication of any immediate medical attention and special treatment needed		
	: Treat symptomatically.	

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Carbon dioxide (CO2); Dry chemical; Alcohol resistant foam; Water fog

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Flammable liquid and vapour. Vapours may ignite explosively. Vapours are heavier than air and may spread along floors. Static discharge, impact, friction, and heat may ignite exposed chemical material.
- Empty containers may contain hazardous residues.

Flammability classification (OSHA 29 CFR 1910.106)

: Flammable Liquids - Category 3

Hazardous combustion products

: Carbon dioxide and carbon monoxide.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

Special fire-fighting procedures

: Do not breathe fumes or vapours.Move containers from fire area if safe to do so.Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

· · ·	
	: All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.
Methods and material for co	ntainment and cleaning up
	: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use only non-sparking tools and equipment in the clean-up process. Avoid breathing mist or vapours. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.
Special spill response proce	dures
	: If a spill/release in excess of the EPA reportable quantity is made into the environment,

immediately notify the national response center in the United States (phone: 1-800-424-8802). EPA/CERCLA Reportable quantity (RQ): See section 15.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Keep away from flames and hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharges. Ground all equipment during handling.
 Keep container tightly closed. Store in cool/well-ventilated place. Store locked up. Keep cool. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking. Empty containers may contain hazardous residues.

Incompatible materials : Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	<u>ACGIH</u>	TLV	<u>OSHA P</u>	<u>EL</u>
	TWA	<u>STEL</u>	PEL	<u>STEL</u>
Glycol ethers	0.1 ppm (skin)	N/Av	25 ppm (80 mg/m³) (skin)	N/Av

Exposure controls

Ventilation and engineering measures

Respiratory protection	o th e : If u a 19	se only in well-ventilated areas. Apply technical measures to comply with the ccupational exposure limits. Where reasonably practicable this should be achieved by in use of local exhaust ventilation and good general extraction. Use explosion-proof quipment. In case of insufficient ventilation wear suitable respiratory equipment. airbourne concentrations are above the permissible exposure limit or are not known, se NIOSH-approved respirators. Respirators should be selected based on the form ind concentration of contaminants in air, and in accordance with OSHA (29 CFR 910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection
Skin protection	: W re	pecialists. /ear protective gloves/clothing. Where extensive exposure to product is possible, use esistant coveralls, apron and boots to prevent contact. The suitability for a specific orkplace should be discussed with the producers of the protective gloves.
Eye / face protection		/ear eye/face protection. Wear safety glasses with side shields (or goggles).
Other protective equipment		nsure that eyewash stations and safety showers are close to the workstation cation. Other equipment may be required depending on workplace standards.
General hygiene consideration	ons	
	n R	void breathing fumes, mists or vapors. Avoid contact with skin, eyes and clothing. Do ot eat, drink or smoke when using this product. Wash thoroughly after handling. emove and wash contaminated clothing before re-use. Do not take contaminated othing home. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

A		
Appearance	:	Clear colourless liquid.
Odour	:	Ethereal odour
Odour threshold	:	Not available.
рН	:	None.
Melting Point/Freezing point	:	Not available.
Initial boiling point and boiling range		

	:	Not available.
Flash point	:	>23°C
Flashpoint (Method)	:	Cleveland closed cup
Evaporation rate (BuAe = 1)	:	Not available.
Flammability (solid, gas)	:	Not applicable.
Lower flammable limit (% by	vo	l.)
	:	Not available.
Upper flammable limit (% by	vo	l.)
	:	Not available.
Oxidizing properties	:	None.
Explosive properties	:	Not explosive
Vapour pressure	:	Not available.
Vapour density	:	Not available.

E645, Part 1 SDS Preparation Date (mm/dd/yyyy): 07/14/2020

SAFETY DATA SHEET

Relative density / Specific gravity		
	: Not available.	
Solubility in water	: Not available.	
Other solubility(ies)	: Not available.	
Partition coefficient: n-octand	ol/water or Coefficient of water/oil distribution	
	: Not available.	
Auto-ignition temperature	: Not available.	
Decomposition temperature	: No information available.	
Viscosity	: Not available.	
Volatiles (% by weight)	: No information available.	
Volatile organic Compounds	(VOC's)	
	: No information available.	
Absolute pressure of contain	er	
	: Not applicable.	
Flame projection length	: Not applicable.	
Other physical/chemical comments		
	: None known or reported by the manufacturer.	
SECTION 10. STABILITY AND REACTIVITY		
Reactivity	: Not normally reactive.	

Reactivity	lot normally reactive.	
Chemical stability	table under normal conditions.	
Possibility of hazardous rea	5	
	lazardous polymerization does not occur.	
Conditions to avoid	open flames, sparks, high heat, direct sunlight, and close proximity to incompatible ubstances. Do not use in areas without adequate ventilation.	
Incompatible materials	trong oxidizers.	
Hazardous decomposition p	ts	
	long known, refer to bazardous combustion products in Section 5	

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation	:	YES
Routes of entry skin & eye	:	YES
Routes of entry Ingestion	:	YES
Routes of exposure skin abs	or	otion
	:	YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

	:	Harmful if inhaled. Mild respiratory irritation, sneezing or coughing, possible headache, nausea or drowsiness.
Sign and symptoms ingestio	n	
	:	Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Sign and symptoms skin	:	Harmful if absorbed through the skin. Direct skin contact may cause slight or mild, transient irritation.
Sign and symptoms eyes	:	Direct eye contact may cause slight or mild, transient irritation.
Potential Chronic Health Effe		
	:	Frequent or prolonged contact may dry the skin, leading to discomfort and dermatitis.
Mutagenicity	:	Not expected to be mutagenic in humans.
Carcinogenicity	:	No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

Sensitization to material		Reproductive Toxicity - Category 1B May damage fertility or the unborn child. Not expected to be a skin or respiratory sensitizer.
Specific target organ effects	:	According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.
Medical conditions aggravat	ed	by overexposure
	:	Pre-existing skin, eye and respiratory disorders.
Synergistic materials	:	No information available.
Toxicological data	:	There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data. The calculated ATE values for this mixture are: ATE oral = 1015.98 mg/kg ATE dermal =1484.01 mg/kg ATE inhalation (vapours) = 18.03 mg/L

	LC₅₀(4hr)	LD50		
Chemical name	<u>inh, rat</u>	(Oral, rat)	<u>(Rabbit, dermal)</u>	
Glycol ethers	> 12.4, < 17.8 mg/L (vapour)	1000 - 1500 mg/kg (guinea pig; rabbits) 2460 mg/kg (rat)	1300 mg/kg	

Other important toxicological hazards

: None reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

:

Ecotoxicity

Do not allow material to contaminate ground water system. See the following tables for the substance's ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	CAC #	Toxicity to Fish				
	CAS #	LC50 / 96h	NOEC / 21 day	M Factor		
Glycol ethers	Proprietary	> 10 000 mg/L (Bluegill sunfish)	1815 mg/L (30 days) (QSAR)	None.		

Ingredients	CAS #	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Glycol ethers	Proprietary	27 000 mg/L (Daphnia magna)	> 500 mg/L	None.		

Ingredients	CAS #	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
Glycol ethers	Proprietary	25 500 mg/L/72hr (Green algae)	N/Av	None.		

Persistence and degradability

: Readily biodegradable

Bioaccumulation potential : No information available.

Components		Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)			
Glycol ethers (CAS Propr	rietary)	- 0.77	N/Av			
Mobility in soil	:	The product itself has not been tested.				
Other Adverse Environme	ental ef	ffects				
	:	None known.				
SECTION 13. DISPOSAI	L CON	SIDERATIONS				
Handling for Disposal	:	Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.				
Methods of Disposal	:	Dispose in accordance with all applicable federal, state, provincial and local regulations.				
RCRA	-	If this product, as supplied, becomes a waste in the criteria of a hazardous waste as defined under RCI responsibility of the waste generator to determine t disposal method. For disposal of unused or waste federal environmental agencies.	RA, Title 40 CFR 261. It is the he proper waste identification and			

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	UN1866	RESIN SOLUTION	3	III	3
49CFR/DOT Additional information		d as Limited Quantity when transported in container ass. Refer to 49 CFR Section 173.150.	s no larger than 5.0 Li	tres; in pack	ages not excee
TDG	UN1866	RESIN SOLUTION, flammable	3	III	
TDG Additional information		d as a Limited Quantity when transported in contain g (66 pounds) gross mass.	ers no larger than 5 L	(1.3 gallons); in packages n
ICAO/IATA	UN1866	Resin solution	3	III	
ICAO/IATA Additional information	Refer to the ap prior to shippin	propriate Packing Instruction, prior to shipping this r g this material.	naterial. Review all St	ate and Ope	erator Variations,
IMDG	UN1866	RESIN SOLUTION flammable	3	III	3
IMDG Additional information	Consult the IMI	OG regulations for exceptions.		<u> </u>	
pecial preca	utions for use	 Appropriate advice on safety must according sparks and open flame - No smoking. 	mpany the package	. Keep awa	ay from heat,
invironmenta	al hazards	This product does not meet the criteria f according to the IMDG Code. See ECC			

: This information is not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

		TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
<u>Ingredients</u>	CAS #	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
Glycol ethers	Proprietary	Yes	None.	None.	Yes	1%	

Flammable; Acute toxicity; Reproductive toxicity. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California	State "Right to Know" Lists						
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Glycol ethers	Proprietary	No	Developmental; male	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

Canadian Environmental Protection Act (CEPA): All ingredients are present on the DSL.

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Glycol ethers	Proprietary	203-713-7	Present	Present	(7)-97; (2)-405	KE-23272	Present	HSR001159

SECTION 16. OTHER INFORMATION

Legend	 ACGIH: American Conference of Governmental Industrial Hygienists AICS: Australian Inventory of Chemical Substances ATE: Acute Toxicity Estimate CA: California CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations CSA: Canadian Standards Association DOT: Department of Transportation ECHA: European Chemicals Agency ECOTOX: U.S. EPA Ecotoxicology Database EINECS: European Inventory of Existing Commercial chemical Substances ENCS: Existing and New Chemical Substances EPA: Environmental Protection Agency HSDB: Hazardous Substances Data Bank
	IARC: International Agency for Research on Cancer

Page 9 of 10

SAFETY DATA SHEET

Other special considerations	KECI: Korean Existing Cher KECL: Korean Existing Che LC: Lethal Concentration LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available NIOSH: National Institute o NJ: New Jersey NOEC: No observable effec NTP: National Toxicology P OECD: Organisation for Ecc OSHA: Occupational Safety PA: Pennsylvania PEL: Permissible exposure PICCS: Philippine Inventory RCRA: Resource Conserva RI: Rhode Island RTECS: Registry of Toxic Ef SARA: Superfund Amendm SDS: Safety Data Sheet / M STEL: Short Term Exposure TDG: Canadian Transporta TLV: Threshold Limit Values TSCA: Toxic Substance Co TWA: Time Weighted Average WHMIS: Workplace Hazard : 1. ACGIH, Threshold Limit V Biological Exposure Indices 2. ECHA - European Chemia 3. Canadian Centre for Occu (Chempendium, HSDB and 4. Safety Data Sheets from 5. US EPA Title III List of Lis 6. California Proposition 65 7. OECD - The Global Porta <i>I</i>) : 07/14/2020 for handling	g Chemical Substances e Dangerous Goods frm Chemical Information Database nicals Inventory micals List f Occupational Safety and Health t concentration rogram phomic Co-operation and Development and Health Administration limit of Chemicals and Chemical Substances titon and Recovery Act ffects of Chemical Substances ents and Reauthorization Act aterial Safety Data Sheet : Limit tion of Dangerous Goods Act & Regulations s ntrol Act ge lous Materials Identification System /alues for Chemical Substances and Physical Agents & for cal Agency upational Health and Safety, CCInfoWeb databases, RTECs). manufacturer. ts List I to Information on Chemical Substances - eChemPortal
	: Provide adequate informatio	on, instruction and training for operators.
Prepared for: Beacon Adhesives 125 Macquesten Parkway Sou Mount Vernon, NY 10550 Telephone: (914) 699 3400	th	
Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): http://www.thecompliancece		icc Compliance Center

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Beacon

Adhesives and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Beacon Adhesives. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

his Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Beacon Adhesives.

END OF DOCUMENT